



FutureMetrics™ LLC

8 Airport Road
Bethel, ME 04217, USA

Advanced Biomass Solutions for Coal Substitution in Power Generation

**Optimizing carbon-beneficial coal replacement for power generation when white
pellets are not optimal**

Overview of “Black” Pellets and the Process Characteristics

of Torrefied and Steam Treated Pellet Fuels

Cost analysis normalized for energy output

Financial analysis, including sensitivity to changes in critical inputs

Conclusions on suitability and economic competitiveness

Produced by

FutureMetrics

June 2024



Acknowledgements and Disclaimers

This report would not be possible without the cooperation of the four black pellet technology providers reviewed herein.

TSI, Airex, Valmet, and Arbaflame provided FutureMetrics with data that allowed FutureMetrics to perform the analysis and create the opinions that are in this report.

The data that is shown in this report is with the explicit permission of TSI, Airex, Valmet, and Arbaflame.

Any reference to capital costs are high-level estimates by FutureMetrics that are within a wide range of potential values. They do not represent offers by the technology providers.

The objective analysis in this report is by FutureMetrics. The opinions in this report are those of FutureMetrics.

FutureMetrics does not endorse any particular technology provider or project developer. There are many other black pellet technology providers that are not included in this report. This does not imply that all of those technology providers are inferior.

Table of Contents

Acknowledgements and Disclaimers	2
List of Figures and Tables	5
Glossary	7
Abstract	8
Executive summary.....	13
Typical White Pellet Properties and Process Flow	15
Typical Torrefied Pellet Properties and Process Flow	16
Steam Treatment Rapid Expansion (SE) Pellet Properties and Process Flows (continuous and batch processes)	19
Process illustrations for two torrefaction processes.....	21
<i>Airex Carbon FX Process and Service Description</i>	<i>22</i>
<i>Airex Process Description.....</i>	<i>22</i>
<i>TSI Process and Service Description.....</i>	<i>24</i>



FutureMetrics™ LLC

8 Airport Road
Bethel, ME 04217, USA

<i>TSI's Process Description</i>	25
SE Process and Service description for batch and continuous SE	26
<i>Arbaflame (batch) Process and Service Description</i>	26
<i>Arbaflame Process Description</i>	27
<i>Valmet Process and Service Description</i>	29
<i>Valmet process Description</i>	31
General Inputs for the Comparative Calculations	31
Assumptions for Biochemical Harvest	35
Approach to the Techno-Economic Analysis	36
<i>Comparison of Pellet properties</i>	36
Economics of a Reference White Pellet Plant	38
<i>CAPEX</i>	38
<i>OPEX</i>	39
<i>“GOP at a Glance” (white pellets)</i>	39
<i>Baseline Table for IRR Sensitivity Calculation for White Pellets</i>	40
<i>IRR Sensitivity of Various Parameters for a White Pellet Plant</i>	41
Summary of the Economics of Torrefaction processes	43
<i>Summary of the Airex Energy CarbonFX process</i>	43
<i>“GOP at glance” (Airex pellets)</i>	44
<i>Summary of the economics of the TSI process</i>	44
<i>“GOP at a glance” (TSI pellets)</i>	45
Economics of the SE processes	45
<i>Economics of the Arbaflame Process</i>	45
<i>CAPEX</i>	46
<i>OPEX</i>	47
<i>“GOP at a glance” (Arbaflame pellets)</i>	48
<i>The baseline for the IRR sensitivity calculations for the SE batch process</i>	48
<i>IRR Sensitivity of various parameters for the Arbaflame SE process</i>	49
<i>Economics of the Valmet SE process</i>	50
<i>CAPEX</i>	51



FutureMetrics™ LLC

8 Airport Road
Bethel, ME 04217, USA

OPEX	52
“GOP at a glance” SE continuous (Valmet).....	53
Baseline for the IRR sensitivity calculations for the continuous SE process.....	54
IRR Sensitivity of various parameters for the continuous SE process	55
Discussion of advantages/disadvantages of continuous vs. batch SE	56
<i>Retrofitability of SE into an existing white pellet plant</i>	<i>57</i>
<i>CAPEX for a white pellet plant retrofitted to a batch SE plant</i>	<i>59</i>
<i>“GOP at a glance” for a white pellet plant retrofitted to a batch SE plant</i>	<i>60</i>
<i>CAPEX for a white pellet plant retrofitted to a continuous SE plant.....</i>	<i>61</i>
<i>“GOP at a glance” for a white pellet plant retrofitted to a</i>	<i>62</i>
<i>continuous SE plant</i>	<i>62</i>
<i>Utilization risk between batch and continuous SE.....</i>	<i>62</i>
<i>Flexibility.....</i>	<i>65</i>
<i>Switching from SE pellet back to white pellets</i>	<i>65</i>
<i>Suitability of the technologies for varying feedstocks</i>	<i>66</i>
<i>Safety Aspects.....</i>	<i>68</i>
Technical Support from each Provider	71
<i>Spare Part Economics</i>	<i>71</i>
<i>Know-how.....</i>	<i>72</i>
<i>Licenses and IP.....</i>	<i>72</i>
Conclusions and comments.....	73
Which technology to choose?	76
References	79
Appendix A - Self-Heating of Wood Pellets during Storage	80
<i>Introduction</i>	<i>80</i>
<i>Propensity to Self-heat</i>	<i>81</i>
<i>Properties that influence the propensity of wood pellets to self-heat.....</i>	<i>84</i>
Wood pellet moisture content, Storage Humidity and Water Exposure.....	85
Wood Pellet Age.....	86
Storage Temperature	86
<i>Thermal runaway and Spontaneous combustion of Wood Pellets</i>	<i>87</i>



FutureMetrics™ LLC

8 Airport Road
Bethel, ME 04217, USA

<i>Risks resulting from Self-heating</i>	87
Specific Recommendations	88
<i>Pellet Fuel Handling</i>	88
<i>Storage Protocols</i>	89
<i>Counter-measures – Prevention</i>	89
<i>Recommended Additional Physical Safeguards</i>	89

List of Figures and Tables

Figure 1: Basic White Pellet Process Flow [1]	15
Figure 2: Basic Torrefaction Process Flow [2]	16
Figure 3: Torrefaction Process Flow [3].....	17
Figure 4: Mass Retention Profile of Torrefied Wood [4].....	18
Figure 5 - Reaction flow for formation of biochemicals in the SE process	19
Figure 6: Continuous Steam Treatment Flow [5]	20
Figure 7: Batch Steam Treatment Flow - Arbaflame.....	21
Figure 8: Airex Torrefaction Process Flow Courtesy of Airex.....	23
Figure 9: TSI Torrefaction Process Flow	25
Figure 10: Arbaflame Process Flow and Mass and Energy Balance	28
Figure 11: Valmet SE Process Flow.....	30
Figure 12:Process flow for furfural reclaim.....	35
Figure 13: Output from Biochemical Recovery	36
Figure 14: Geometrical model of an Arbaflame reactor	69
Figure 15: Deformed model with von Mises equivalent stresses, top part, outside, max. stress 134.6 MPa..	70
Figure 16:Deformed model with von Mises equivalent stresses, top part, inside, max. stress 134.6 MPa	70
Figure 17 - Studstrup power station in Denmark.....	80
Figure 18 - Self-heating and thermal runaway.....	84
Figure 19 - Texas Pellets Silo Collapse.....	90
Table 1 - Wood Demand and Wood Cost per GJ and MWh for White, SE, and Torrefied Pellets	11
Table 2: Gas and Mass Flows for the TSI Process.....	25
Table 3: Comparative Calculations Inputs.....	33
Table 4: Labor Structure for Torrefaction and SE Plants.....	33
Table 5: Annual Labor Cost Estimate for Torr and SE Plants.....	34
Table 6: Labor Structure for the White Pellet Plant.....	34
Table 7: Annual Labor Cost Estimate for the White Pellet Plant	34
Table 8: Key product properties of SE, torrefied, and white pellets.....	36



FutureMetrics™ LLC

8 Airport Road
Bethel, ME 04217, USA

Table 9: capex for the Reference White Pellet Plant 250 kt per year.....	38
Table 10: White Pellet Plant OPEX for 250 kt p.a. reference plant.....	39
Table 11: "GOP at a Glance" white pellets.....	39
Table 12: Baseline for White Pellet IRR Sensitivity Calculation.....	40
Table 13: IRR sensitivity for a White Pellet Reference Plant #1.....	41
Table 14: IRR sensitivity for a White Pellet Reference Plant #2.....	42
Table 15: "GOP at a glance" AIREX torrefied pellets.....	44
Table 16: "GOP at a glance" for torrefied TSI pellets	45
Table 17: CAPEX for a 250 kt p.a. equivalent SE (batch) plant.....	46
Table 18: OPEX for a 250 kt p.a. equivalent SE (batch) plant.....	47
Table 19:"GOP at a glance" comparison of White and Arbaflame SE pellets w. and w/o furfural contribution	48
Table 20: Baseline for IRR sensitivity calculation for SE batch pellets	48
Table 21: IRR sensitivity of the Arbaflame SE process with furfural harvest #1	49
Table 22: IRR sensitivity of the Arbaflame SE process with furfural harvest #2	50
Table 23: CAPEX for the Valmet SE process scaled to 250 kt p.a. energy equivalent.....	51
Table 24: Valmet OPEX for 250 kt p.a. energy equivalent	52
Table 25: GOP at a Glance comparison of White and Valmet SE pellets w. and w/o furfural contribution.....	53
Table 26: Baseline for the IRR sensitivity calculations for the continuous SE process	54
Table 27: IRR sensitivity of the continuous SE process with furfural harvest #1	55
Table 28: IRR sensitivity of the Valmet SE process with furfural harvest #2.....	56
Table 29: CAPEX for a white pellet plant retrofitted to an SE batch plant	59
Table 30: "GOP at a glance" for a white pellet plant retrofitted to an SE batch plant	60
Table 31: CAPEX for a White pellet plant retrofitted to a continuous SE plant.....	61
Table 32: "GOP at a glance" for a white pellet plant retrofitted to a continuous SE plant	62
Table 33: Effect of SE and Washing on various feedstocks.....	67
Table 34: Comparison between SE batch and SE continuous	76